



## S520

<http://tiny.cc/multione520EN>

 LIFT CAPACITY <b>700</b> kg	 ENGINE POWER <b>20</b> hp	 SPEED <b>11</b> km/h	 FLOW RATE <b>31</b> l/min	 LIFT HEIGHT <b>2,75</b> m
--	---	---	--	--

Tires size	Width
23x8.50-12	980 mm (38.6 in)
27x8.50-15	1000 mm (39.4 in)
23x10.50-12	1090 mm (42.9 in)
26x12.00-12	1200 mm (47.2 in)

Model	S520
Engine	Kubota D722
Power (Iso Gross)	20 HP / 14 kW
Fuel	Diesel
Transmission	Hydrostatic
Drive speed (max.)	11 km/h (6.8 mph) 17 km/h (10.6 mph) opt
Aux. hydraulics oil flow	31 l/min (8.2 gal/min)
Max. lifting height	2,75 m (108 in)
Max. lifting capacity (w/backweights)	700 kg (1543 lbs)
Breakout force / 50 cm (19.7 in)	800 kg (1764 lbs)
Pushing force (c)	900 kgf (900 kp)
Specific ground pressure (w/standard tires)	815 kg/m <sup>2</sup> (1797 lbs/sqft)
Turning radius: inside/outside	890/1890 mm (35 / 74.4 in)
Standard tires (Tractor profile)	23x8.50-12
Length	2340 mm (92.1 in)
Height	1930 mm (76 in)
Weight	940 kg (2072 lbs)
Product Code	C977005
Price	Get a Quote

**MULTI ONE**

## S520 FEATURES AND OPTIONS

- 4WD hydrostatic Direct Drive motors, proportional servo
- Hydraulic oil cooler
- Hydraulic multiconnector
- Self-levelling double-H telescopic boom
- 4-functions joystick
- ROPS-FOPS Level I
- LCD graphic display with programmed service (tachometer, hour meter, fuel gauge, maintenance light, light indicator and other 14 indicators)
- 2 front working light
- Seat with armrests and safety belt, adjustable position
- Tipping sensor
- Mechanical parking brake

Suggested configurations	Description	Price
PRIME	Telescopic boom, self-levelling, Dynamic Block System	<a href="#">Get a Quote</a>
WINTER	Telescopic boom, self-levelling, Dynamic Block System, floating boom valve, Luxury cab (glass) with heating system, heated seat, inner clothing, engine block heater	<a href="#">Get a Quote</a>
ON-ROAD	Telescopic boom, self-levelling, Dynamic Block System, floating boom valve, road lights, trailer coupling	<a href="#">Get a Quote</a>

## S520 FEATURES AND OPTIONS

Options	Code	Price
Telescopic boom	C885236	Get a Quote
Self-levelling	C885234	Get a Quote
Dynamic Block System	C885220	Get a Quote
Floating boom valve	C885223	Get a Quote
Luxury cab (glass) with heating system	C885203	Get a Quote
Heating system	C885205	Get a Quote
Smart cab	C885232	Get a Quote
Road lights	C885222	Get a Quote
Attachment coupling plate for rear mounting	C880031	Get a Quote
Multi connector "After Market" assembling	C880218	Get a Quote
3 lines multiconnector kit, to old quick coupling	C880221	Get a Quote
Rear hydraulic outlets	C885221	Get a Quote
Trailer coupling	C885014	Get a Quote
Backweights 184 kg (92+92 kg) (203 + 203 lbs)	C880054	Get a Quote
Heated seat	C885216	Get a Quote
Left protection bar for operator	C885026	Get a Quote
FOPS protection, level 1 (M>M330053)	C880057	Get a Quote
FOPS protection, level 1	C885020	Get a Quote
Inner clothing for cabin	C885041	Get a Quote
Torque divider	C885016	Get a Quote
Tractor profile tires 26x12.00-12, set of 4	C885209	Get a Quote
Skid profile tires 27x8.50-15, set of 4	C885210	Get a Quote
Turf profile tires 23x8.50-12, set of 4	C885207	Get a Quote
Turf profile tires 26x12.00-12, set of 4	C885208	Get a Quote
Wheel spacer 10 mm (0,2 in)(max. 3 pcs for wheel)	C880090	Get a Quote
Wheel spacer 55 mm (2,2 in), set of 4	C885010	Get a Quote
Snow chains for wheels 23x8.50-12, set of 2	C880041	Get a Quote
Snow chains for wheels 23x10.50-12, set of 2	C880046	Get a Quote
Snow chains for wheels 26x12.00-12, set of 2	C880042	Get a Quote
Snow chains for wheels 27x8.50-15, set of 2	C880045	Get a Quote
Kubota block Heater 220 V	C885251	Get a Quote
Kubota block Heater 110 V	C885256	Get a Quote
Driver area cover	C880049	Get a Quote
Back up alarm	C883021	Get a Quote